EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	34	"4407320"	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/05 18:33
S2	6	"4926230"	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/06 09:10
S3	429	(silicon same gallium).bsum. and 136/243-265.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/06 09:15
S4	2	(silicon same gallium nitride).bsum. and 136/243-265.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/06 09:15
S5	11	"6512172"	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/06 10:51
S6	0	"2002017656"	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/06 10:54
S7	2	"19927981" or "1176646"	EPO	ADJ	ON	2008/05/06 10:55
S8	2276	refractive with silicon oxide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 13:03
S 9	189	S8 and (solar or photovoltaic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 13:03
S10	28	S9 and "600" nm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 13:12
S11	0	S9 and 600nm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 13:12

·

S12	142	S9 and wavelength	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 13:20
S13	214	refractive with silicon oxide with wavelength	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 13:21
S14	10	S13 and (solar or photovoltaic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 13:21
S15	373	refractive with silicon \$20xide with wavelength	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 13:23
S16	19	S15 and (solar or photovoltaic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 13:24
S17	455	index with silicon \$20xide with wavelength	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 14:31
S18	18	index with silicon \$20xide with "600"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 14:32
S19	20	index with silicon \$50xide with "600"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 14:49

	*** .*******					
S 20	478	index with silicon \$50xide with wavelength	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 14:49
S21	1487	low refractive index with silicon \$5oxide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 15:32
S22	1	"10563009"	US-PGPUB	ADJ	ON	2009/04/14 15:18
S23	379	((low near1 refract \$5) with silicon oxide)	US-PGPUB	ADJ	ON	2009/04/14 15:29
S24	901	((low near1 refract \$5) with silicon oxide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:30
S 25	33	S24 and (crystalline with silicon)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:30
S26	14	S25 and (solar or photovoltaic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:30
S 27	102	,	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:36
S 28	14	S26 and (solar or photovoltaic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:36

S29	10	S27 and (solar or photovoltaic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:38
S30	1278	(contact or electrode) same silicon oxide same (n? type) same resistance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:46
S31	29	S30 and (solar or photovoltaic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 15:47
S32	1	(back near1 (electrode or contact) same (low near1 refract\$5) with silicon oxide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:04
S33	1	(back near1 (electrode or contact) with (low near1 refract\$5) with silicon oxide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:04
S34	1	((back near1 (electrode or contact)) with (low near1 refract\$5) with silicon oxide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:04
S35	15	((back near1 (electrode or contact)) with (n? type) with silicon oxide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:05
S36	90	oxygen with percent with silicon oxide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:16

S37	71965	"21" and (solar or photovoltaic)	US-PGPUB; USPAT; USOCR;	ADJ	ON	2009/04/14 16:16
			FPRS; EPO; JPO; DERWENT; IBM_TDB	an a		
S 38	9	S36 and (solar or photovoltaic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:17
S 39	117	"` + ."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 16:27
S40	6407	(back or rear) (contact or electrode) same resistance	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 18:36
S41	19	(back or rear) (contact or electrode) same resistance same silicon oxide	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 18:36
S42	16	(contact or electrode) with (low near2 index) with silicon oxide	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 18:44
S43	3292	(counter) (contact or electrode) same resistance	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 18:47
S44	28	(counter) (contact or electrode) same resistance same (silicon oxide or sio2)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 18:47
S45	0	(back or rear) (contact or electrode) same resistance same silicon oxide	FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/14 18:48
S46	232705	solar or photovoltaic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/14 18:54

S47	17	("3413157" "4012235" "4239810" "4313768" "4604791" "4624045" "4633031" "4781766" "4836861" "4910153" "5879977" "6111191").PN. OR ("6210991").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 18:55
S48	19388	S46 and thin film	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 19:07
S49	13423	S48 and silicon	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 19:07
S50	3590	S49 and index	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 19:07
S51	1286	S50 and atomic	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 19:07
S52	1105	S51 and crystal\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 19:08
S53	742	S51 and crystalline	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 19:08
S54	92	\$53 and atomic with (oxygen or silicon oxide)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 19:08
S55	92	\$53 and (atomic with (oxygen or silicon oxide))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 19:08
S56	1	"6384319"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 19:13
S57	1382	(interface or intermediate) (layer or film) and S49	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 19:23
S58	91	((interface or intermediate) (layer or film) with (silicon oxide or sio or sio2)) and S49	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/14 19:23
S 59	0	((interface or intermediate) (layer or film) with (silicon oxide or sio or sio2)) and S49	FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/14 19:38

S60	0	((interface or intermediate) (layer or film) and (silicon oxide or sio or sio2)) and S49	FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/14 19:39
S61	0	((interface or intermediate) and (silicon oxide or sio or sio2)) and S49	FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/14 19:39
S62	7643	((interface or intermediate) and (silicon oxide or sio or sio2))	FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/14 19:39
S63	110	((interface or intermediate) and (silicon oxide or sio or sio2)) and (solar or photovoltaic)	FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/14 19:39
S64	58	((interface or intermediate or buffer) (layer or film) and (silicon oxide or sio or sio2)) and (solar or photovoltaic)	FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/14 19:40
S65	3	isotype with (silicon oxide or sio or sio2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/15 12:34
S66	26467	isotype	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/15 13:55
S67	48	S66 and (solar or photovoltaic) (cell or module or panel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/15 13:55
S68	48	S66 and (solar or photovoltaic) (cell or module or panel or array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/15 13:55
S69	44	S68 and silicon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/15 13:55
S70	7	S68 and (silicon with thin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/15 13:55

S71	40417	electrode with (silicon oxide or sio or sio2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/15 14:11
S72	95	(back or rear) near electrode with (silicon oxide or sio or sio2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/15 14:11
S73	27	(back or rear) near electrode with (silicon oxide or sio or sio2) with type	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2009/04/15 14:11
S74	13	("4272641" "4338482" "4342044" "4451838" "4476346" "4500744" "4531015" "4705912" "4718947").PN. OR ("4781765").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/15 14:28
S 75	13	("4064521" "4385199" "4460670" "4581476" "4626885" "4781765").PN. OR ("4843451").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/15 14:37

4/15/2009 5:54:48 PM

C:\ Documents and Settings\ mberdichevsky\ My Documents\ EAST\ Workspaces\ 10563009. wsp